

ABSTRACT OF THE DISCLOSURE

A sheet-shaped molded laminate includes a laminated skin member including a decorative face, and a resin base material integrally injection molded on a face of the laminated skin member placed on an opposite side to the decorative face of the laminated skin member. The laminated skin member includes a foamed layer with a density equal to or greater than 0.04g/cm^3 , a sheet-shaped decorative skin member bonded to one face of the foamed layer, and a sheet-shaped backing layer bonded to the other face of the foamed layer. Before the laminated skin member and the resin base material are integrally molded, an elastic modulus of the laminated skin member in a warping deformation preventive direction is equal to or smaller than $196\text{N}/25\text{mm}$ (width of a test piece of the laminated skin member: 25mm) with the laminated skin member being stretched by 33%.